

HARMANTM
HOME HEATING

ACCENTRA PELLET INSERT



ACCENTRA

WHEN YOU WANT HEAT, BUY A HARMAN

Sealed hopper holds up to 57 pounds of pellets

State-of-the-art, whisper-quiet, variable-speed blower

The control panel is hidden behind the left side door.



The large hopper opening makes it easy to fill with pellets.



Exclusive air wash system keeps door glass cleaner, longer

Large decorative glass door

Door opens the front of the stove for fast and easy ash removal.

Nautical Medallion adds style even without a fire.




ACCENTRA PELLET INSERT

The Accentra Insert provides more consistent heat and improved temperature control, all at a level of convenience not offered by other pellet inserts. The Accentra's many outstanding features make it the best value pellet insert on the market today. With a versatile design, the Accentra can turn an inefficient fireplace into an efficient, environmentally responsible heat source. With its direct vent feature, there is no need for a chimney to experience the ambiance of a warm fireplace in any room of your home. The Harman tradition continues with the Accentra that efficiently warms your home, offers dependable heat, and features easy to use operation.



Temperature control with the Accentra helps maintain a consistent room temperature.



ACCENTRA FEATURES

Automatic Temperature Control

The Accentra's automatic temperature control system eliminates the warm/cold cycle associated with thermostatically controlled heating systems and even turns the Accentra on and off as needed.

Automatic Ignition

The Accentra Ignition System draws air across a specially designed heating element located in the bottom of the burn pot. The air is then heated to the point where it ignites the pellets as they enter the burn pot.

Accordion Heat Exchanger

The Accentra's accordion heat exchanger allows a large amount of surface area to be placed in a small area, greatly increasing heat transfer efficiency.

Harman Insert Track System

This unique track system allows the unit to be slid out of the fireplace to be cleaned or serviced without having to disconnect the venting system.

Unparalleled Technology and Design

Other innovative features of the Accentra include:

- Exclusive exhaust sensing probe control
- New 176 square inches of cleaner glass
- 57 pound hopper capacity
- Exclusive air wash system keeps door glass cleaner, longer
- Room sensor
- Power cord can be placed on either side of insert
- Quiet operation
- Harman quality, fit and finish

Additional options for the Accentra include:

- Ceramic log set
- 100% outside air
- 3 in. vent pipe
- Zero clearance housing for use with wood mantle
- Insert Track installation supports
- Color options include: charcoal, forest green, mojave red, metallic blue, golden-fire brown, and black
- 20" and 22" reduced height hopper for smaller fireplace openings available by special order (24" standard)

TEMPERATURE CONTROL

The secret behind the Harman Accentra is its cutting-edge room sensor. Versatile enough to work anywhere in the room, this tiny sensor sends readings directly to the Accentra's microprocessor, ensuring that your room temperature will remain constant without the fluctuations that occur with other brands of stoves.

CONSTANT COMFORT

After your set temperature is achieved, it is constantly monitored by a sensing probe. If the temperature in the room drops even slightly, the Accentra will increase its flame level. If an outside door is opened and the room temperature drops rapidly, the Accentra will increase its fire in proportion to the temperature drop. And, if the outside temperature rises and no heat is needed, the Accentra will automatically shut down but continue to monitor the room temperature in case it drops again.

QUALITY CONTROL


In addition to adjusting temperature levels, the Accentra will automatically adjust itself for fuel quality. An ESP (Exhaust Sensing Probe) analyzes the output of the fuel being burned and adjusts the feed rate accordingly to increase the stove's efficiency.



SPECIFICATIONS

ACCENTRA PELLET INSERT	BTU Range	Hopper Capacity	Fuel Type	Blower Size	Outside Air Size	Electrical	Weight	Height	Width	Depth	Venting Size	Feed Rate
	0 - 42,000	20" fireplace opening: 38 lbs. 22" fireplace opening: 48 lbs. 24" fireplace opening: 57 lbs.	Wood Pellets	180 cfm	3"	Avg. 255 watts	450 lbs with surround	32.06"	41.78"	29.91"	4" PL pellet vent pipe standard, 3" PL pellet vent pipe option with fireplace housing†	3/4 lbs./hr Min. 5 lbs./hr Max.

CLEARANCES AND DIMENSIONS



CLEARANCE TO COMBUSTIBLES	Side wing to trim	Front hearth protection	Top of insert to mantel trim or ledge	Zero clearance housing (optional)
	0"	6"	12"	3" from exhaust vent

Heat Your Home with Wood Pellets

Wood pellets have become a popular form of heat because they are environmentally friendly, extremely clean burning, and cost-effective. Made of wood by-products such as, sawdust, wood chips, and other wood waste products, wood pellets typically measure 1/4" in diameter and 3/4" long. Wood pellets vary in cost, depending on the quality and ash content however all are conveniently packaged in 40 pound bags for easy handling.



Cleaning Your Pellet Insert

As with all Harman pellet stoves, maintenance is minimal and cleaning is easy. The Accentra Insert lets you burn close to a ton of pellets before ash removal is needed. And what is even better, the Harman Insert Track System lets you slide the insert out of the fireplace so that it can be cleaned or serviced without having to disconnect the venting system. This innovative design is only available on Harman pellet inserts and lets you reach key components for yearly cleaning.

At Harman, we strive to provide home heating products that warm your home efficiently, are dependable, and easy to use. The Accentra Insert keeps with this tradition.

Limited Lifetime Warranty**

The strongest in the industry, Harman provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

YOUR HARMAN DEALER IS:



352 MOUNTAIN HOUSE ROAD
HALIFAX, PA 17032
WWW.HARMANSTOVES.COM

A BRAND OF HEARTH & HOME TECHNOLOGIES®

Actual product appearance, including flame, may differ from image.
Tested by OMNI-Test Laboratories - ASTM-E1509, ULC-C1482, UL 127, EPA method 28A and 5G

Product specifications and pricing subject to change without notice. The images and descriptions in this brochure are provided to assist you in product selection only.

*Heating capacity is a guideline only and may differ slightly due to climate, building construction and condition, amount and quality of insulation, location of the heater and air movement in the room. Refer to installation manual for complete clearance requirements and specifications.

**For full warranty details go to www.harmanstoves.com