



State-of-the-art technology and stunning cast-iron design combine to create a high-performance masterpiece.

LENNOXTM
HEARTH PRODUCTS



COUNTRYTM
COLLECTION



Painted Black Bella™ shown with Traditional brick panel kit and Beatrice Soapstone stone inset panels.

■ The Country Collection Bella™ pellet stove transcends time with a stunning design that fuses contemporary lines with traditional curves. The Bella's premium technological features—such as an innovative LCD screen that displays the stove's operating mode—allow easy, uncomplicated operation. Quiet, efficient operation is assured through a direct-current brushless auger motor, an isolated double-cushioned combustion fan, and advanced controls that adjust feed rates based on whether the fan is on or off. This cast-iron beauty unites the classic charm of yesterday with the dynamic performance of tomorrow. ■

STANDARD FEATURES

EPA-certified (1.01 gr/hr)

Quiet operation mode allows the convection fan to operate independently of combustion/feed rate

Direct-current brushless auger motor benefits include: quieter operation, superior reliability, faster start-ups and more consistent fuel delivery

Completely sealed combustion system compatible for use with 100% outside air for maximum efficiency

1. Beautifully detailed cast iron in painted Black or enameled Espresso Brown
2. Easy-to-use LCD screen displays the stove's operating mode for more user control
3. Multi-directional air-wash system for superior viewing area and cleanliness
4. Convenient and direct access to components simplifies cleaning and service
5. Double-cushioned combustion fan assembly for quieter operation
6. Large 75-lb. hopper

Limited Lifetime Warranty

Backed by the Good Housekeeping Seal



OPTIONAL ACCESSORIES

Decorative stone inset panels

- Beatrice Soapstone
- Gallo Veneziano
- Tan Brown

Traditional brick panel kit

Decorative log set (available autumn 2009)

Remote thermostat



Beatrice Soapstone



Gallo Veneziano



Tan Brown



Log set



Remote thermostat




Wall thermostat



Traditional brick panel kit

DIMENSIONS

BELLA™ FIREPLACE DIMENSIONS



SPECIFICATIONS

BELLA PELLET STOVE

Flue Size	3" (76mm) rear
Floor Protection Requirements	front: 6" (152mm) sides: 3" (76mm) back: 0" (0mm)
Hopper Capacity	75 lbs.*
Burn Time	15-1/2–42 hours
Fuse Control Board	3 Amp, 250 Volt, 3AG**
Fuse, Igniter	6 Amp, 250 Volt**
Heat Input (BTU's/hr)	15,300–43,000 BTU/hr
Efficiency Rating	79.8%
Emissions	1.01 gr/hr*
Convection Blower (room air)	150 CFM; .90 Amps, 1650 RPM
Combustion Blower	100 CFM; 1.3 Amps, 3000 RPM
Auger Motor	1.28 RPM; .4 Amps
Standard Features	Self Igniter

Notes:

Dimensions shown are approximations only (+/- 1/4").

Approved for manufactured home installations.

Optional kits available: stone panel kits, brick panel kits, leg leveling kit, remote control and wall thermostat.

*Fuel delivery and burn times vary depending on size and type of fuel used.

**Fuses are rated as fast-acting.



Painted Black Bella stove



Espresso Brown enamel Bella stove

On the cover: Espresso Brown enamel Bella™ stove shown with Traditional brick panel kit, decorative log set and Gallo Veneziano stone inset panels.

PRODUCTS YOU CAN COUNT ON

Lennox is committed to providing you with high-quality products. A qualified dealer can help you find the right product to give you years of comfort and enjoyment.

LENNOX™

HEARTH PRODUCTS

© Lennox Industries Inc. 2009

Visit us at www.lennox.com, or contact us at 1-800-9-LENNOX.



Tested & Listed By
OTL
 CPTL US
 Portland Oregon USA
 OMNI-Test Laboratories, Inc.
 Report number: 116-S-53-2



Mixed Sources
 Cert. no. SCS-COC-001192
 © 1996 FSC

